

## 6. Literaturverzeichnis

- Akaike T, Suga M, Maeda H (1998): Free radicals in viral pathogenesis: molecular mechanisms involving superoxide and NO; Proc Soc Exp Biol Med 217(1): 64-73.
- Akama KT, Albanese C, Pestell RG, Van Eldik LJ (1998): Amyloid beta-peptide stimulates nitric oxide production in astrocytes through an NFkappaB-dependent mechanism; Proc Natl Acad Sci U S A 95(10): 5795-800.
- Anderson CR, Edwards SL, Furness JB, Bredt DS, Snyder SH (1993): The distribution of nitric oxide synthase-containing autonomic preganglionic terminals in the rat; Brain Res 614(1-2): 78-85.
- Ankarcrona M, Dypbukt JM, Bonfoco E, Zhivotovsky B, Orrenius S, Lipton SA, Nicotera P (1995): Glutamate-induced neuronal death: a succession of necrosis or apoptosis depending on mitochondrial function; Neuron 15(4): 961-73.
- Antonini E, Brunori M, Greenwood C, Malmstrom BG (1970): Catalytic mechanism of cytochrome oxidase; Nature 228(275): 936-7.
- Arnelle DR, Day BJ, Stamler JS (1997): Diethyl dithiocarbamate-induced decomposition of S-nitrosothiols; Nitric Oxide 1(1): 56-64.
- Arteel GE, Briviba K, Sies H (1999): Protection against peroxynitrite; FEBS Lett 445(2-3): 226-30.
- Asayama K, Burr IM (1985): Rat superoxide dismutases. Purification, labeling, immunoassay, and tissue concentration; J Biol Chem 260(4): 2212-7.
- Asayama K, Yokota S, Dobashi K, Hayashibe H, Kawaoi A, Nakazawa S (1994): Purification and immunoelectron microscopic localization of cellular glutathione peroxidase in rat hepatocytes: quantitative analysis by postembedding method; Histochemistry 102(3): 213-9.
- Baek KJ, Thiel BA, Lucas S, Stuehr DJ (1993): Macrophage nitric oxide synthase subunits. Purification, characterization, and role of prosthetic groups and substrate in regulating their association into a dimeric enzyme; J Biol Chem 268(28): 21120-9.
- Baker MA, Cerniglia GJ, Zaman A (1990): Microtiter plate assay for the measurement of glutathione and glutathione disulfide in large numbers of biological samples; Anal Biochem 190(2): 360-5.
- Barker JE, Bolanos JP, Land JM, Clark JB, Heales SJ (1996): Glutathione protects astrocytes from peroxynitrite-mediated mitochondrial damage: implications for neuronal/astrocytic trafficking and neurodegeneration; Dev Neurosci 18(5-6): 391-6.
- Bartlett D, Church DF, Bounds PL, Koppenol WH (1995): The kinetics of the oxidation of L-ascorbic acid by peroxynitrite; Free Radic Biol Med 18(1): 85-92.
- Bartosz G (1996): Peroxynitrite: mediator of the toxic action of nitric oxide; Acta Biochim Pol 43(4): 645-59.
- Beckman JS, Chen J, Ischiropoulos H, Crow JP (1994): Oxidative chemistry of peroxynitrite; Methods Enzymol 233: 229-40.
- Beckman JS, Ischiropoulos H, Zhu L, van der Woerd M, Smith C, Chen J, Harrison J, Martin JC, Tsai M (1992): Kinetics of superoxide dismutase- and iron-catalyzed nitration of phenolics by peroxynitrite; Arch Biochem Biophys 298(2): 438-45.

- Beckman JS, Minor RL, Jr., White CW, Repine JE, Rosen GM, Freeman BA (1988): Superoxide dismutase and catalase conjugated to polyethylene glycol increases endothelial enzyme activity and oxidant resistance; J Biol Chem 263(14): 6884-92.
- Behl C (1997): Amyloid beta-protein toxicity and oxidative stress in Alzheimer's disease; Cell Tissue Res 290(3): 471-80.
- Berdeaux A (1993): Nitric oxide: an ubiquitous messenger; Fundam Clin Pharmacol 7(8): 401-11.
- Bertolatus JA, Klinzman D, Bronsema DA, Ridnour L, Oberley LW (1991): Evaluation of the role of reactive oxygen species in doxorubicin hydrochloride nephrosis; J Lab Clin Med 118(5): 435-45.
- Bohme GA, Bon C, Stutzmann JM, Doble A, Blanchard JC (1991): Possible involvement of nitric oxide in long-term potentiation; Eur J Pharmacol 199(3): 379-81.
- Bolanos JP, Heales SJ, Land JM, Clark JB (1995): Effect of peroxynitrite on the mitochondrial respiratory chain: differential susceptibility of neurones and astrocytes in primary culture; J Neurochem 64(5): 1965-72.
- Bolanos JP, Peuchen S, Heales SJ, Land JM, Clark JB (1994): Nitric oxide-mediated inhibition of the mitochondrial respiratory chain in cultured astrocytes; J Neurochem 63(3): 910-6.
- Boveris A, Oshino N, Chance B (1972): The cellular production of hydrogen peroxide; Biochem J 128(3): 617-30.
- Briviba K, Kissner R, Koppenol WH, Sies H (1998): Kinetic study of the reaction of glutathione peroxidase with peroxynitrite; Chem Res Toxicol 11(12): 1411-22.
- Bronson JR, Schumacker PT, Zhang H (1999): Nitric oxide acutely inhibits neuronal energy production. The Committees on Neurobiology and Cell Physiology; J Neurosci 19(1): 229-35.
- Brown GC, Cooper CE (1994): Nanomolar concentrations of nitric oxide reversibly inhibit synaptosomal respiration by competing with oxygen at cytochrome oxidase; FEBS Lett 356(2-3): 295-8.
- Brüne B, Dimmeler S, Molina y Vedia L, Lapetina EG (1994): Nitric oxide: a signal for ADP-ribosylation of proteins; Circulation 89(1): 393-401.
- Brüne B, Messmer UK, Sandau K (1996): The role of nitric oxide in cell injury; Kidney Int 50(5): 1604-11.
- Brüne B, von Knethen A, Sandau KB (1998): Nitric oxide and its role in apoptosis; Eur J Pharmacol 351(3): 261-72.
- Buettner GR (1993): The pecking order of free radicals and antioxidants: lipid peroxidation, alpha-tocopherol, and ascorbate; Arch Biochem Biophys 300(2): 535-43.
- Calka J, Wolf G, Schmidt W (1996): Induction of cytosolic NADPH-diaphorase/nitric oxide synthase in reactive microglia/macrophages after quinolinic acid lesions in the rat striatum: an electron and light microscopical study; Histochem Cell Biol 105(1): 81-9.
- Carlson SL, Parrish ME, Springer JE, Doty K, Dossett L (1998): Acute inflammatory response in spinal cord following impact injury; Exp Neurol 151(1): 77-88.
- Cathcart R, Schwieters E, Ames BN (1984): Detection of picomole levels of lipid hydroperoxides using a dichlorofluorescein fluorescent assay; Methods Enzymol 105: 352-8.

- Clancy RM, Levartovsky D, Leszczynska Piziak J, Yegudin J, Abramson SB (1994): Nitric oxide reacts with intracellular glutathione and activates the hexose monophosphate shunt in human neutrophils: evidence for S-nitrosoglutathione as a bioactive intermediary; Proc Natl Acad Sci U S A 91(9): 3680-4.
- Colton C, Wilt S, Gilbert D, Chernyshev O, Snell J, Dubois Dalcq M (1996): Species differences in the generation of reactive oxygen species by microglia; Mol Chem Neuropathol 28(1-3): 15-20.
- Conner EM, Grisham MB (1996): Inflammation, free radicals, and antioxidants; Nutrition 12(4): 274-7.
- Conti F, DeBiasi S, Minelli A, Melone M (1996): Expression of NR1 and NR2A/B subunits of the NMDA receptor in cortical astrocytes; Glia 17(3): 254-8.
- Cooper AJ, Kristal BS (1997): Multiple roles of glutathione in the central nervous system; Biol Chem 378(8): 793-802.
- Crow JP (1997): Dichlorodihydrofluorescein and dihydrorhodamine 123 are sensitive indicators of peroxynitrite in vitro: implications for intracellular measurement of reactive nitrogen and oxygen species; Nitric Oxide 1(2): 158-66.
- Crow JP, Beckman JS (1995): The role of peroxynitrite in nitric oxide-mediated toxicity; Curr Top Microbiol Immunol 196: 57-73.
- Dawson VL, Dawson TM (1996): Nitric oxide actions in neurochemistry; Neurochem Int 29(2): 97-110.
- De Marchena O, Guarnieri M, McKhann G (1974): Glutathione peroxidase levels in brain; J Neurochem 22(5): 773-6.
- Deby C, Goutier R (1990): New perspectives on the biochemistry of superoxide anion and the efficiency of superoxide dismutases; Biochem Pharmacol 39(3): 399-405.
- Do KQ, Benz B, Grima G, Gutteck Amsler U, Kluge I, Salt TE (1996): Nitric oxide precursor arginine and S-nitrosoglutathione in synaptic and glial function; Neurochem Int 29(3): 213-24.
- Dobashi K, Pahan K, Chahal A, Singh I (1997): Modulation of endogenous antioxidant enzymes by nitric oxide in rat C6 glial cells; J Neurochem 68(5): 1896-903.
- Dringen R, Hamprecht B (1998): Glutathione restoration as indicator for cellular metabolism of astroglial cells; Dev Neurosci 20(4-5): 401-7.
- Faber Zuschratter H, Seidenbecher T, Reymann K, Wolf G (1996): Ultrastructural distribution of NADPH-diaphorase in the normal hippocampus and after long-term potentiation; J Neural Transm Gen Sect 103(7): 807-17.
- Flohe L (1989): "The selenoprotein glutathione peroxidase" In: Glutathione: Chemical, biochemical and medical aspects (Hrsg. Dolphin D, Avramovic O, Poulson R); New York, John Wiley & Son.
- Fridovich I (1978): The biology of oxygen radicals; Science 201(4359): 875-80.
- Furchgott RF, Zawadzki JV (1980): The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine; Nature 288(5789): 373-6.
- Galea E, Feinstein DL, Reis DJ (1992): Induction of calcium-independent nitric oxide synthase activity in primary rat glial cultures; Proc Natl Acad Sci U S A 89(22): 10945-9.
- Galea E, Reis DJ, Feinstein DL (1994): Cloning and expression of inducible nitric oxide synthase from rat astrocytes; J Neurosci Res 37(3): 406-14.

- Gebicke-Haerter PJ, Van Calker D, Norenberg W, Illes P (1996): Molecular mechanisms of microglial activation. A. Implications for regeneration and neurodegenerative diseases; Neurochem Int 29(1): 1-12.
- Gehrmann J, Matsumoto Y, Kreutzberg GW (1995): Microglia: intrinsic immuneffector cell of the brain; Brain Res Brain Res Rev 20(3): 269-87.
- Gille G, Sigler K (1995): Oxidative stress and living cells; Folia Microbiol 40(2): 131-52.
- Gow A, Duran D, Thom SR, Ischiropoulos H (1996): Carbon dioxide enhancement of peroxynitrite-mediated protein tyrosine nitration; Arch Biochem Biophys 333(1): 42-8.
- Gregory EM, Fridovich I (1973): Induction of superoxide dismutase by molecular oxygen; J Bacteriol 114(2): 543-8.
- Griffith OW, Stuehr DJ (1995): Nitric oxide synthases: properties and catalytic mechanism; Annu Rev Physiol 57: 707-36.
- Gunasekar PG, Kanthasamy AG, Borowitz JL, Isom GE (1995): Monitoring intracellular nitric oxide formation by dichlorofluorescein in neuronal cells; J Neurosci Methods 61(1-2): 15-21.
- Hakim TS, Sugimori K, Camporesi EM, Anderson G (1996): Half-life of nitric oxide in aqueous solutions with and without haemoglobin; Physiol Meas 17(4): 267-77.
- Halliwell B (1997): What nitrates tyrosine? Is nitrotyrosine specific as a biomarker of peroxynitrite formation in vivo?; FEBS Lett 411(2-3): 157-60.
- Halliwell B, Gutteridge JM (1986): Free radicals in biology and medicine; Oxford, Clarendon Press.
- Haseloff RF, Zollner S, Kirilyuk IA, Grigor'ev IA, Reszka R, Bernhardt R, Mertsch K, Roloff B, Blasig IE (1997): Superoxide-mediated reduction of the nitroxide group can prevent detection of nitric oxide by nitronyl nitroxides; Free Radic Res 26(1): 7-17.
- Haun SE, Kirsch JR, Helfaer MA, Kubos KL, Traystman RJ (1991): Polyethylene glycol-conjugated superoxide dismutase fails to augment brain superoxide dismutase activity in piglets; Stroke 22(5): 655-9.
- Hausladen A, Privalle CT, Keng T, DeAngelo J, Stamler JS (1996): Nitrosative stress: activation of the transcription factor OxyR; Cell 86(5): 719-29.
- Heinzel B, John M, Klatt P, Bohme E, Mayer B (1992): Ca<sup>2+</sup>/calmodulin-dependent formation of hydrogen peroxide by brain nitric oxide synthase; Biochem J 281(Pt 3): 627-30.
- Henry Y, Lepoivre M, Drapier JC, Ducrocq C, Boucher JL, Guissani A (1993): EPR characterization of molecular targets for NO in mammalian cells and organelles; Faseb J 7(12): 1124-34.
- Hevel JM, Marletta MA (1994): Nitric-oxide synthase assays; Methods Enzymol 233: 250-8.
- Hohmeier HE, Thigpen A, Tran VV, Davis R, Newgard CB (1998): Stable expression of manganese superoxide dismutase (MnSOD) in insulinoma cells prevents IL-1 $\beta$ -induced cytotoxicity and reduces nitric oxide production; J Clin Invest 101(9): 1811-20.
- Hoyle CH, Burnstock G (1995): "Criteria for defining enteric neurotransmitters" In: Handbook of Methods in Gastrointestinal Pharmacology (Hrsg. Gaginella TS); Boca Raton, FL, CRC Press.
- Hu S, Martella A, Anderson WR, Chao CC (1994): Role of cytokines in lipopolysaccharide-induced functional and structural abnormalities of astrocytes; Glia 10(3): 227-34.
- Huie RE, Padmaja S (1993): The reaction of no with superoxide; Free Radic Res Commun 18(4): 195-9.

- Iadecola C (1997): Bright and dark sides of nitric oxide in ischemic brain injury; Trends Neurosci 20(3): 132-9.
- Igarashi R, Hoshino J, Ochiai A, Morizawa Y, Mizushima Y (1994): Lecithinized superoxide dismutase enhances its pharmacologic potency by increasing its cell membrane affinity; J Pharmacol Exp Ther 271(3): 1672-7.
- Ignarro LJ (1990): Nitric oxide. A novel signal transduction mechanism for transcellular communication; Hypertension 16(5): 477-83.
- Ignarro LJ, Buga GM, Wood KS, Byrns RE, Chaudhuri G (1987): Endothelium-derived relaxing factor produced and released from artery and vein is nitric oxide; Proc Natl Acad Sci U S A 84(24): 9265-9.
- Ito Y, Hiraishi H, Razandi M, Terano A, Harada T, Ivey KJ (1992): Role of cellular superoxide dismutase against reactive oxygen metabolite-induced cell damage in cultured rat hepatocytes; Hepatology 16(1): 247-54.
- Jadot G, Michelson AM (1987): Comparative anti-inflammatory activity of different superoxide dismutases and liposomal SOD in ischemia; Free Radic Res Commun 3(6): 389-94.
- Jenner P, Olanow CW (1996): Oxidative stress and the pathogenesis of Parkinson's disease; Neurology 47(6 Suppl 3): S161-70.
- Juurlink BH, Thorburne SK, Hertz L (1998): Peroxide-scavenging deficit underlies oligodendrocyte susceptibility to oxidative stress; Glia 22(4): 371-8.
- Kappus H, Sies H (1981): Toxic drug effects associated with oxygen metabolism: redox cycling and lipid peroxidation; Experientia 37(12): 1233-41.
- Kitamura Y, Takahashi H, Matsuoka Y, Tooyama I, Kimura H, Nomura Y, Taniguchi T (1996): In vivo induction of inducible nitric oxide synthase by microinjection with interferon-gamma and lipopolysaccharide in rat hippocampus; Glia 18(3): 233-43.
- Kooy NW, Royall JA, Ischiropoulos H (1997): Oxidation of 2',7'-dichlorofluorescein by peroxynitrite; Free Radic Res 27(3): 245-54.
- Kooy NW, Royall JA, Ischiropoulos H, Beckman JS (1994): Peroxynitrite-mediated oxidation of dihydrorhodamine 123; Free Radic Biol Med 16(2): 149-56.
- Koppenol WH, Moreno JJ, Pryor WA, Ischiropoulos H, Beckman JS (1992): Peroxynitrite, a cloaked oxidant formed by nitric oxide and superoxide; Chem Res Toxicol 5(6): 834-42.
- Koroshetz WJ, Moskowitz MA (1996): Emerging treatments for stroke in humans; Trends Pharmacol Sci 17(6): 227-33.
- Kreutzberg GW (1996): Microglia: a sensor for pathological events in the CNS; Trends Neurosci 19(8): 312-8.
- Kröncke KD, Fehsel K, Kolb Bachofen V (1998): Inducible nitric oxide synthase in human diseases; Clin Exp Immunol 113(2): 258-64.
- Kröncke KD, Kolb Bachofen V (1999): Measurement of nitric oxide-mediated effects on zinc homeostasis and zinc finger transcription factors; Methods Enzymol 301: 126-35.
- LeBel CP, Ischiropoulos H, Bondy SC (1992): Evaluation of the probe 2',7'-dichlorofluorescein as an indicator of reactive oxygen species formation and oxidative stress; Chem Res Toxicol 5(2): 227-31.
- Leist M, Nicotera P (1998): Apoptosis, excitotoxicity, and neuropathology; Exp Cell Res 239(2): 183-201.
- Lincoln J, Hoyle CH, Burnstock G (1997): Nitric Oxide in Health and Disease; Cambridge, CUP.

- Lindenau J, Noack H, Asayama K, Wolf G (1998): Enhanced cellular glutathione peroxidase immunoreactivity in activated astrocytes and in microglia during excitotoxin induced neurodegeneration; Glia 24(2): 252-6.
- Liochev SI, Fridovich I (1994): The role of O<sub>2</sub><sup>-</sup> in the production of HO<sub>2</sub>·: in vitro and in vivo; Free Radic Biol Med 16(1): 29-33.
- Lipton SA, Choi YB, Pan ZH, Lei SZ, Chen HS, Sucher NJ, Loscalzo J, Singel DJ, Stamler JS (1993): A redox-based mechanism for the neuroprotective and neurodestructive effects of nitric oxide and related nitroso-compounds [see comments]; Nature 364(6438): 626-32.
- Liu D (1996): The roles of free radicals in amyotrophic lateral sclerosis; J Mol Neurosci 7(3): 159-67.
- Liu TH, Beckman JS, Freeman BA, Hogan EL, Hsu CY (1989): Polyethylene glycol-conjugated superoxide dismutase and catalase reduce ischemic brain injury; Am J Physiol 256(2 Pt 2): H589-93.
- MacMicking JD, Nathan C, Hom G, Chartrain N, Fletcher DS, Trumbauer M, Stevens K, Xie QW, Sokol K, Hutchinson N, et al. (1995): Altered responses to bacterial infection and endotoxic shock in mice lacking inducible nitric oxide synthase [published erratum appears in Cell 1995 Jun 30;81(7):following 1170]; Cell 81(4): 641-50.
- Malinski T, Taha Z (1992): Nitric oxide release from a single cell measured in situ by a porphyrinic-based microsensor [see comments]; Nature 358(6388): 676-8.
- Marletta MA (1994): Nitric oxide synthase: aspects concerning structure and catalysis; Cell 78(6): 927-30.
- Masters BS, McMillan K, Sheta EA, Nishimura JS, Roman LJ, Martasek P (1996): Neuronal nitric oxide synthase, a modular enzyme formed by convergent evolution: structure studies of a cysteine thiolate-ligated heme protein that hydroxylates L-arginine to produce NO as a cellular signal; Faseb J 10(5): 552-8.
- Masumoto H, Kissner R, Koppenol WH, Sies H (1996): Kinetic study of the reaction of ebselen with peroxynitrite; FEBS Lett 398(2-3): 179-82.
- Mattson MP, Goodman Y, Luo H, Fu W, Furukawa K (1997): Activation of NF-kappaB protects hippocampal neurons against oxidative stress-induced apoptosis: evidence for induction of manganese superoxide dismutase and suppression of peroxynitrite production and protein tyrosine nitration; J Neurosci Res 49(6): 681-97.
- Mayer B, John M, Bohme E (1990): Purification of a Ca<sup>2+</sup>/calmodulin-dependent nitric oxide synthase from porcine cerebellum. Cofactor-role of tetrahydrobiopterin; FEBS Lett 277(1-2): 215-9.
- Mayer B, Pfeiffer S, Schrammel A, Koesling D, Schmidt K, Brunner F (1998): A new pathway of nitric oxide/cyclic GMP signaling involving S-nitrosoglutathione; J Biol Chem 273(6): 3264-70.
- McCord JM, Fridovich I (1969): Superoxide dismutase. An enzymic function for erythrocyte hemocuprein; J Biol Chem 244(22): 6049-55.
- Mokuno K, Ohtani K, Suzumura A, Kiyosawa K, Hirose Y, Kawai K, Kato K (1994): Induction of manganese superoxide dismutase by cytokines and lipopolysaccharide in cultured mouse astrocytes; J Neurochem 63(2): 612-6.
- Molina CR, Andresen JW, Rapoport RM, Waldman S, Murad F (1987): Effect of in vivo nitroglycerin therapy on endothelium-dependent and independent vascular relaxation and cyclic GMP accumulation in rat aorta; J Cardiovasc Pharmacol 10(4): 371-8.

- Moore WM, Webber RK, Jerome GM, Tjoeng FS, Misko TP, Currie MG (1994): L-N6-(1-iminoethyl)lysine: a selective inhibitor of inducible nitric oxide synthase; J Med Chem 37(23): 3886-8.
- Muller A, Cadenas E, Graf P, Sies H (1984): A novel biologically active seleno-organic compound--I. Glutathione peroxidase-like activity in vitro and antioxidant capacity of PZ 51 (Ebselen); Biochem Pharmacol 33(20): 3235-9.
- Murphy MP, Packer MA, Scarlett JL, Martin SW (1998): Peroxynitrite: a biologically significant oxidant; Gen Pharmacol 31(2): 179-86.
- Murphy S, Grzybicki DM, Simmons ML (1995): "Glial cells as nitric oxide sources and targets". In: Nitric Oxide in the Nervous System: 164-90.
- Nagele A, Lengfelder E (1996): The superoxide dismutase-mimic copper-putrescine-pyridine suppresses lipid peroxidation in CHO cells. Implications for its prooxidative and antioxidative mechanisms of action; Free Radic Res 25(2): 109-15.
- Nagra RM, Becher B, Tourtellotte WW, Antel JP, Gold D, Paladino T, Smith RA, Nelson JR, Reynolds WF (1997): Immunohistochemical and genetic evidence of myeloperoxidase involvement in multiple sclerosis; J Neuroimmunol 78(1-2): 97-107.
- Nathan C (1992): Nitric oxide as a secretory product of mammalian cells; Faseb J 6(12): 3051-64.
- Nishino T, Nakanishi S, Okamoto K, Mizushima J, Hori H, Iwasaki T, Ichimori K, Nakazawa H (1997): Conversion of xanthine dehydrogenase into oxidase and its role in reperfusion injury; Biochem Soc Trans 25(3): 783-6.
- Noack H, Lindenau J, Rothe F, Asayama K, Wolf G (1998): Differential expression of superoxide dismutase isoforms in neuronal and glial compartments in the course of excitotoxically mediated neurodegeneration: relation to oxidative and nitregeric stress; Glia 23(4): 285-97.
- Olson NC, Grizzle MK, Anderson DL (1987): Effect of polyethylene glycol-superoxide dismutase and catalase on endotoxemia in pigs; J Appl Physiol 63(4): 1526-32.
- Ookawara T, Imazeki N, Matsubara O, Kizaki T, Oh Ishi S, Nakao C, Sato Y, Ohno H (1998): Tissue distribution of immunoreactive mouse extracellular superoxide dismutase; Am J Respir Crit Care Med 158(3): 833-9.
- Palmer RM, Ferrige AG, Moncada S (1987): Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor; Nature 327(6122): 524-6.
- Perry VH, Gordon S (1988): Macrophages and microglia in the nervous system; Trends Neurosci 11(6): 273-7.
- Possel H, Noack H, Augustin W, Keilhoff G, Wolf G (1997): 2,7-Dihydrodichlorofluorescein diacetate as a fluorescent marker for peroxynitrite formation; FEBS Lett 416(2): 175-8.
- Post A, Holsboer F, Behl C (1998): Induction of NF-kappaB activity during haloperidol-induced oxidative toxicity in clonal hippocampal cells: suppression of NF-kappaB and neuroprotection by antioxidants; J Neurosci 18(20): 8236-46.
- Prass K, Dirnagl U (1998): Glutamate antagonists in therapy of stroke; Restorative Neurology and Neuroscience 13: 3-10.
- Pryor WA (1986): Oxy-radicals and related species: their formation, lifetimes, and reactions; Annu Rev Physiol 48: 657-67.
- Radi R (1998): Peroxynitrite reactions and diffusion in biology; Am J Physiol 274(6 Pt 1): G984-91.

- Rebec GV, Pierce RC (1994): A vitamin as neuromodulator: ascorbate release into the extracellular fluid of the brain regulates dopaminergic and glutamatergic transmission; Prog Neurobiol 43(6): 537-65.
- Reilly PM, Bulkley GB (1990): Tissue injury by free radicals and other toxic oxygen metabolites; Br J Surg 77(12): 1323-4.
- Reinheckel T, Wiswedel I, Noack H, Augustin W (1995): Electrophoretic evidence for the impairment of complexes of the respiratory chain during iron/ascorbate induced peroxidation in isolated rat liver mitochondria; Biochim Biophys Acta 1239(1): 45-50.
- Richeson Ce, Mulder P, Bowry VW, Ingold KU (1998): The complex chemistry of peroxynitrite decomposition: New insights; J Am Chem Soc 120: 7211-19.
- Richter C, Gogvadze V, Schlapbach R, Schweizer M, Schlegel J (1994): Nitric oxide kills hepatocytes by mobilizing mitochondrial calcium; Biochem Biophys Res Commun 205(2): 1143-50.
- Rothe F, Canzler U, Wolf G (1998): Subcellular localization of the neuronal isoform of nitric oxide synthase in the rat brain: a critical evaluation; Neuroscience 83(1): 259-69.
- Royall JA, Ischiropoulos H (1993): Evaluation of 2',7'-dichlorofluorescein and dihydrorhodamine 123 as fluorescent probes for intracellular H<sub>2</sub>O<sub>2</sub> in cultured endothelial cells; Arch Biochem Biophys 302(2): 348-55.
- Rubbo H, Darley Usmar V, Freeman BA (1996): Nitric oxide regulation of tissue free radical injury; Chem Res Toxicol 9(5): 809-20.
- Saran M, Bors W (1994): Signalling by O<sub>2</sub><sup>-</sup> and NO: how far can either radical, or any specific reaction product, transmit a message under in vivo conditions?; Chem Biol Interact 90(1): 35-45.
- Schmidt HH, Pollock JS, Nakane M, Forstermann U, Murad F (1992): Ca<sup>2+</sup>/calmodulin-regulated nitric oxide synthases; Cell Calcium 13(6-7): 427-34.
- Schousboe A (1980): Primary cultures of astrocytes from mammalian brain as a tool in neurochemical research; Cell Mol. Biol. 26: 505-13.
- Schulz JB, Matthews RT, Beal MF (1995): Role of nitric oxide in neurodegenerative diseases; Curr Opin Neurol 8(6): 480-6.
- Schuman EM, Madison DV (1994): Nitric oxide and synaptic function; Annu Rev Neurosci 17: 153-83.
- Shafer RA, Murphy S (1997): Activated astrocytes induce nitric oxide synthase-2 in cerebral endothelium via tumor necrosis factor alpha; Glia 21(4): 370-9.
- Shull S, Heintz NH, Periasamy M, Manohar M, Janssen YM, Marsh JP, Mossman BT (1991): Differential regulation of antioxidant enzymes in response to oxidants; J Biol Chem 266(36): 24398-403.
- Sies H (1986): Biochemie des oxidativen Stress; Angew Chemie 98: 1061-75.
- Sies H, Masumoto H (1997): Ebselen as a glutathione peroxidase mimic and as a scavenger of peroxynitrite; Adv Pharmacol 38: 229-46.
- Sies H, Sharov VS, Klotz LO, Briviba K (1997): Glutathione peroxidase protects against peroxynitrite-mediated oxidations. A new function for selenoproteins as peroxynitrite reductase; J Biol Chem 272(44): 27812-7.
- Sies H, Stahl W (1995): Vitamins E and C, beta-carotene, and other carotenoids as antioxidants; Am J Clin Nutr 62(6 Suppl): 1315s-1321s.
- Singh S, Evans TW (1997): Nitric oxide, the biological mediator of the decade: fact or fiction?; Eur Respir J 10(3): 699-707.



- Skulachev VP (1996): Why are mitochondria involved in apoptosis? Permeability transition pores and apoptosis as selective mechanisms to eliminate superoxide-producing mitochondria and cell; FEBS Lett 397(1): 7-10.
- Snyder SH (1992): Nitric oxide and neurons; Curr Opin Neurobiol 2(3): 323-7.
- Spector R (1989): Micronutrient homeostasis in mammalian brain and cerebrospinal fluid; J Neurochem 53(6): 1667-74.
- Stamler JS, Hausladen A (1990): Oxidative modifications in nitrosative stress [news; comment]; AIDS Res Hum Retroviruses 6(12): 1389-97.
- Stamler JS, Simon DI, Osborne JA, Mullins ME, Jaraki O, Michel T, Singel DJ, Loscalzo J (1992): S-nitrosylation of proteins with nitric oxide: synthesis and characterization of biologically active compounds; Proc Natl Acad Sci U S A 89(1): 444-8.
- Streit WJ, Graeber MB, Kreutzberg GW (1988): Functional plasticity of microglia: a review; Glia 1(5): 301-7.
- Stuehr DJ, Cho HJ, Kwon NS, Weise MF, Nathan CF (1991): Purification and characterization of the cytokine-induced macrophage nitric oxide synthase: an FAD- and FMN-containing flavoprotein; Proc Natl Acad Sci U S A 88(17): 7773-7.
- Stuehr DJ, Kwon NS, Nathan CF, Griffith OW, Feldman PL, Wiseman J (1991): N omega-hydroxy-L-arginine is an intermediate in the biosynthesis of nitric oxide from L-arginine; J Biol Chem 266(10): 6259-63.
- Szabo C (1996): Physiological and pathophysiological roles of nitric oxide in the central nervous system; Brain Res Bull 41(3): 131-41.
- Szabo C, Zingarelli B, Salzman AL (1996): Role of poly-ADP ribosyltransferase activation in the vascular contractile and energetic failure elicited by exogenous and endogenous nitric oxide and peroxynitrite; Circ Res 78(6): 1051-63.
- Tietze F (1969): Enzymic method for quantitative determination of nanogram amounts of total and oxidized glutathione: applications to mammalian blood and other tissues; Anal Biochem 27(3): 502-22.
- Valentine JS, Curtis AB (1975): A convenient preparation of solutions of superoxide anion and the reaction of superoxide anion with a copper (II) complex; J Am Chem Soc 97(1): 224-6.
- Vincent SR (1994): Nitric oxide: a radical neurotransmitter in the central nervous system; Prog Neurobiol 42(1): 129-60.
- Vincent VA, Tilders FJ, Van Dam AM (1997): Inhibition of endotoxin-induced nitric oxide synthase production in microglial cells by the presence of astroglial cells: a role for transforming growth factor beta; Glia 19(3): 190-8.
- Vincent VA, Tilders FJ, Van Dam AM (1998): Production, regulation and role of nitric oxide in glial cells; Mediators Inflamm 7(4): 239-55.
- Visner GA, Dougall WC, Wilson JM, Burr IA, Nick HS (1990): Regulation of manganese superoxide dismutase by lipopolysaccharide, interleukin-1, and tumor necrosis factor. Role in the acute inflammatory response; J Biol Chem 265(5): 2856-64.
- Wahlefeld AW (1983): "UV-method with L-lactate and NAD" In: Methods of enzymatic analysis: Enzyme I, Oxidoreductases (Hrsg. Bergmeyer HU, Bergmeyer J, Graßl M); , Verlag-Chemie.
- Walther FJ, Wade AB, Warburton D, Forman HJ (1991): Augmentation of superoxide dismutase and catalase activity in alveolar type II cells; Am J Respir Cell Mol Biol 4(4): 364-8.

- Wei XQ, Charles IG, Smith A, Ure J, Feng GJ, Huang FP, Xu D, Muller W, Moncada S, Liew FY (1995): Altered immune responses in mice lacking inducible nitric oxide synthase; Nature 375(6530): 408-11.
- Weisz A, Oguchi S, Cicatiello L, Esumi H (1994): Dual mechanism for the control of inducible-type NO synthase gene expression in macrophages during activation by interferon-gamma and bacterial lipopolysaccharide. Transcriptional and post-transcriptional regulation; J Biol Chem 269(11): 8324-33.
- Wever RMF, van Dam T, van Rijn HJ, de Groot F, Rabelink TJ (1997): Tetrahydrobiopterin regulates superoxide and nitric oxide generation by recombinant endothelial nitric oxide synthase; Biochem Biophys Res Commun 237(2): 340-4.
- Wink DA, Hanbauer I, Grisham MB, Laval F, Nims RW, Laval J, Cook J, Pacelli R, Liebmann J, Krishna M, Ford PC, Mitchell JB (1996): Chemical biology of nitric oxide: regulation and protective and toxic mechanisms; Curr Top Cell Regul 34: 159-87.
- Wink DA, Laval J (1994): The Fpg protein, a DNA repair enzyme, is inhibited by the biomediator nitric oxide in vitro and in vivo; Carcinogenesis 15(10): 2125-9.
- Wolf G (1997): Nitric oxide and nitric oxide synthase: biology, pathology, localization; Histol Histopathol 12(1): 251-61.
- Wood J, Garthwaite J (1994): Models of the diffusional spread of nitric oxide: implications for neural nitric oxide signalling and its pharmacological properties; Neuropharmacology 33(11): 1235-44.
- Xia Y, Roman LJ, Masters BS, Zweier JL (1998): Inducible nitric-oxide synthase generates superoxide from the reductase domain; J Biol Chem 273(35): 22635-9.
- Yang L, Tanaka J, Zhang B, Sakanaka M, Maeda N (1998): Astrocytes modulate nitric oxide production by microglial cells through secretion of serine and glycine; Biomed Pharmacother 52(7-8): 308-10.
- Yu BP (1994): Cellular defenses against damage from reactive oxygen species [published erratum appears in Physiol Rev 1995 Jan;75(1):preceding 1]; Physiol Rev 74(1): 139-62.
- Zhou X, Zhai X, Ashraf M (1996): Direct evidence that initial oxidative stress triggered by preconditioning contributes to second window of protection by endogenous antioxidant enzyme in myocytes [see comments]; Circulation 93(6): 1177-84.
- Zhu H, Bannenberg GL, Moldeus P, Shertzer HG (1994): Oxidation pathways for the intracellular probe 2',7'-dichlorofluorescein; Arch Toxicol 68(9): 582-7.